






### FLOOR PLAN




### NORTH ELEVATION



### SOUTH ELEVATION



### SECTION VIEW



*S. M. Musyoka*

### NOTES


- All dimensions are in mm unless otherwise specified.
- Drawing is according to the stated scale
- The contractor must check and verify all dimensions before commencement of any work
- All walls less than 150 mm thick to be reinforced with hoop iron at every alternate course
- Depth of foundation to be determined on site to S.E.'s approval
- All adjacent R.C. work and masonry walls to be tied with hoop iron at every alternate course
- All openings to have permanent ventilation except Wc & Sh. internal doors
- All soil under slab around and under foundation to be poisoned for termite control
- For all R.C. works, refer to the structural Engineer's details
- All dimensions to be use unless otherwise instructed by the PM





PROPOSED TAITA TAVETA GUARD HOUSE AND STORES OFFICE  
 KENYA POWER AND LIGHTING COMPANY KPLC

REGIONAL APPROVAL	DESIGNATION	DATE	SIGN
APPROVED BY	COUNTY BUSINESS MANAGER TAITA TAVETA		
RECOMMENDED BY	SNR HR & ADMIN OFFICER COAST		
CONFIRMED BY	SNR BUILDING TECHNICIAN COAST		
DRAWN BY	BUILDING TECHNICIAN COAST		


Date	20th Nov, 2023
Drawn by	S. M. Musyoka
Scale	




**3D VIEW PERSPECTIVES**



**ROOF PLAN**



**EAST ELEVATION**




**WEST ELEVATION**

*S. M. Musyoka*

**NOTES**

- All dimensions are in mm unless otherwise specified.
- Drawing is according to the stated scale
- The contractor must check and verify all dimensions before commencement of any work
- All walls less than 150 mm thick to be reinforced with hoop iron at every alternate course
- Depth of foundation to be determined on site to S.E's approval
- All adjacent R.C. work and masonry walls to be tied with hoop iron at every alternate course
- All openings to have permanent ventilation except Wc & Sh. internal doors
- All soil under slab around and under foundation to be poisoned for termite control
- For all R.C. works, refer to the structural Engineer's details
- All dimensions to be use unless otherwise instructed by the PM



**PROPOSED TAITA TAVETA GUARD HOUSE AND STORES OFFICE**  
**KENYA POWER AND LIGHTING COMPANY KPLC**

REGIONAL APPROVAL	DESIGNATION	DATE	SIGN
APPROVED BY	COUNTY BUSINESS MANAGER TAITA TAVETA		
RECOMMENDED BY	SNR HR & ADMIN OFFICER COAST		
CONFIRMED BY	SNR BUILDING TECHNICIAN COAST		
DRAWN BY	BUILDING TECHNICIAN COAST		

Date  
 Drawn by  
 Scale

20th Nov, 2023  
 S. M. Musyoka